



# L.E.D. LIGHTING

DURABLE AND PORTABLE FOR ALL-AROUND ILLUMINATION



# L.E.D. DIRECTIONAL LIGHTS



**NEW**

**DML811**

**LXT**

CORDLESS



CORDED



## 18V LXT® WORK LIGHT\*

Get the convenience of cordless or longevity of corded light with the DML811 Work Light. Easily adaptable to any job site or application, this flood light provides the illumination you need for any task.

**MAX OUTPUT**

**3,000**

**LUMENS**

**13 HOURS**  
RUN-TIME  
ON LOW SETTING<sup>1</sup>

**3 HOURS**  
RUN-TIME  
ON HIGH SETTING<sup>1</sup>



**TRIPOD LIGHT STAND**  
(GM00002073)



**MULTI-DIRECTIONAL  
ROTATION**

3-mode operation: delivers 3,000 lumens on High, 1,500 lumens on medium, and 750 lumens on Low

Dust and water-resistant construction (IP-65 rated) for improved operation in harsh job site conditions

L.E.D. lights effectively illuminate work area without the high heat of halogens



**NEW**

**DML809**



CORDLESS  CORDED 

## 18V X2 LXT® WORK LIGHT\*

Shine bright with this flood light. With 10,000 lumens at full brightness, the DML809 Work Light outshines all others. It operates cordlessly or with a cord for versatility at any job site.

**MAX OUTPUT**  
**10,000**  
**LUMENS**

**8.5 HOURS**  
RUN-TIME  
ON LOW SETTING<sup>1</sup>

**1.7 HOURS**  
RUN-TIME  
ON HIGH SETTING<sup>1</sup>



Work Light can be mounted on optional tripod light stand individually or with two Work Lights\*\*

3-mode operation: delivers 10,000 lumens on High, 4,000 lumens on medium, and 2,000 lumens on Low

Operates using (1) 18V battery at a time; utilizes second battery when needed



**HOLDS TWO 18V  
LXT® BATTERIES**



**CONVENIENT  
CARRYING HANDLE**

\*Light Only. \*\*Tripod light stand not included. <sup>1</sup>With 6.0Ah battery.

# UPRIGHT LIGHT & SPOTLIGHT



**NEW**

**DML810**

**X2**  
LXT 18V 30V

CORDLESS  CORDED 

## 18V X2 LXT® CORDLESS UPRIGHT L.E.D. AREA LIGHT\*

Keep your job site lighting standing tall with the DML810. If the light is knocked over, a self-righting design keeps the light in an upright position. Link multiple lights together for illumination throughout the job site.

**MAX OUTPUT**  
**5,500**  
**LUMENS**

**15 HOURS**  
RUN-TIME  
ON LOW SETTING<sup>1</sup>

**3.3 HOURS**  
RUN-TIME  
ON HIGH SETTING<sup>1</sup>



**SELF-RIGHTING  
DESIGN**



**LINK MULTIPLE LIGHTS  
(DAISY CHAIN FUNCTION)**

3-mode operation: delivers 5,500 lumens on High, 3,000 lumens on medium, and 1,500 lumens on Low

3 illumination range modes: 360°, left 180°, and right 180°

Operates using (1) 18V battery at a time; utilizes second 18V battery when needed

\*Light Only. \*\*Battery/batteries and charger not included. <sup>1</sup>With 6.0Ah battery.





**NEW**

**DML812**



CORDLESS

## 18V LXT® CORDLESS L.E.D. FLASHLIGHT/SPOTLIGHT\*

The DML812 Light is four lights in one unit for unique versatility and convenience. Your choice of flashlight, spotlight, spot/flood, or strobe can be easily selected and adjusted for the task at hand.

MAX OUTPUT

**1,250**  
LUMENS

ILLUMINATES  
UP TO **700 YARDS**<sup>2</sup>

**7 HOURS**  
RUN-TIME<sup>3</sup>

4-mode operation: delivering 600 lumens on Spot, 1,000 lumens on Flood, 1,250 lumens on Spot/Flood, and Strobe mode

XPT™ engineering for improved dust and water resistance<sup>4</sup>

Weighs only 3.4 lbs. with battery\*\*




<sup>2</sup>On Spot and Spot/Flood mode. <sup>3</sup>In Spot mode with 5.0Ah 18V LXT® battery. <sup>4</sup>Extreme Protection Technology (XPT™) is a series of integrated seals engineered to channel away dust and water for increased durability.

# L.E.D. TOWER WORK LIGHTS



**ACCESSIBLE BATTERY COMPARTMENT**



**ROTATING HEAD**

COMING SOON

DML813 | **LXT**

CORDLESS 

## 18V LXT® CORDLESS TOWER WORK LIGHT\*

The DML813 Tower Light supplies both task and area lighting, as well as overhead light to reduce shadows in the workspace. It easily folds for quick set-up and takedown. With a towering height and rotating, pivoting head, you will be sure to have the illumination you need.

**MAX OUTPUT**  
**3,000**  
**LUMENS**

**8 HOURS**  
**RUN-TIME**  
ON LOW SETTING<sup>1</sup>

**2 HOURS**  
**RUN-TIME**  
ON HIGH SETTING<sup>1</sup>

Head vertically rotates 220° and horizontally 230°

L.E.D. lights effectively illuminate work area

Dust and water-resistant construction (IP-55 rated)



**7-1/4'**  
**TOTAL HEIGHT**  
**EXTENDED**

**FOLDABLE**  
**DESIGN**

4 FT.  
HEIGHT  
ANSION

ABLE  
SIGN



COMING SOON

DML814 | *LXT*

CORDLESS

## 18V LXT® CORDLESS TOWER WORK/MULTI-DIRECTIONAL LIGHT\*

The DML814 Multi-directional Tower Light features three light heads that can be adjusted for tasks or to illuminate a large area. No longer do you need to bend down to change batteries. The batteries are located centrally and enclosed for protection.

MAX OUTPUT

**3,000**

LUMENS

**8 HOURS**  
RUN-TIME  
ON LOW SETTING<sup>1</sup>

**2 HOURS**  
RUN-TIME  
ON HIGH SETTING<sup>1</sup>

Three adjustable light heads vertically rotate 180°

Weighs only 16 lbs. with BL1850B battery\*\*

Dust and water-resistant construction (IP-55 rated)

**Makita**



CONVENIENT HANDLES  
& SHOULDER STRAP



MULTI-DIRECTIONAL  
LIGHT HEADS

<sup>1</sup>Light Only. <sup>2</sup>Battery/batteries and charger not included. <sup>3</sup>With 5.0Ah battery.

## DML801 | LXT

CORDLESS 

### 18V LXT® CORDLESS 12 L.E.D. FLASHLIGHT\*

Flashlight head folds up and down with 7 positive stops and rotates left to right for multiple lighting angles

Metal hang hook swivels 360° and folds away for extra convenience

2-mode on/off switch delivers either full brightness (240 lumens) with 12 LED or half brightness (120 lumens) with 6 LED



## DML807 | LXT

CORDLESS 

### 18V LXT® CORDLESS L.E.D. LANTERN / FLASHLIGHT\*

Three L.E.D. lighting modes: 360° lantern, 180° lantern or flashlight

360° lantern mode provides 610 lumens; 180° lantern mode provides 300 lumens; flashlight mode provides 150 lumens

Built-in USB port for charging portable electronic devices



## DML802 | LXT

CORDLESS 

### 18V LXT® CORDLESS L.E.D. FLASHLIGHT\*

High-luminance single L.E.D. flashlight provides 160 lumens

12 position pivoting flashlight head with positive stops from 60° - 110°

Multi-faceted reflector controls the direction and spread of the light



## DML808 | LXT

CORDLESS 

### 18V LXT® CORDLESS ADJUSTABLE BEAM L.E.D. FLASHLIGHT\*

High-luminance single L.E.D. flashlight provides 200 lumens

Beam adjustment from spot to flood by simply rotating the focusing ring

12 position pivoting flashlight head with positive stops from 60° - 110°



\*Flashlight Only



# POWERS 275+ PRODUCTS\*